

•

•

•

•

EDMONTON (CANADA) P 780-456-3286

F **780–456–8808** 715, 76 AVE Edmonton, AB T6P 1P2

STONEY CREEK (CANADA) P 905-643-2543 F 905-643-9851 Unit 2, 870 Arvin AVE Stoney Creek, ON L8E 5P2

HOUSTON (USA)

P **346–237–9200** F **346–867–6134** Suite 100 3007 Pasadena FWY Pasadena, TX, 77503

PENNSYLVANIA (USA) P 484-320-6194 F 484-320-6198 Building 3 Malvern, PA, 19355

AMWARE WAREHOUSE (USA) P 404-835-6970 F 404-835-6976 6878 Kelly AVE Morrow, GA, 30260

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

ISSUE DATE: August 28, 2023 // REVIEWED ON: August 28. 2023

1 IDENTIFICATION

Product Identifier

- Trade name: ThermalJacs[®] 547
- Product Number: Ideal-TJ547
 - Relevant identified uses of the substance or mixture and uses advised against:
 - Product Description: V-Groove mineral wool pipe insulation
 - Application of the substance / the mixture: Industry Specific Application
 - Details of the Supplier of the Safety Data Sheet:
 - Manufacturer/Supplier:

IDEAL PRODUCTS

715-76 Avenue NW, Edmonton AB, Canada

T: 780-456-3286 // F: 780-456-8808

E: customerservice@idealproducts.ca

W: www.idealproducts.ca

Emergency Telephone Number: 1-800-299-0819

3007 Pasadena FWY, Suite 100, Pasadena, TX, USA

T: 888-877-7685 // F: 484-320-6194

E: idealcsr@idealproducts.ca

W: www.idealproducts.ca

Emergency Telephone Number: 1–888–877–7685

(cont'd on page 2)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

GHS07

2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture:

Skin Irrit. 2 H315	Causes skin irritation.
STOT SE 3 H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
Eye Irrit. 2B H320	Causes eye irritation.

Label elements:

GHS label elements: The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



Signal word: Warning

Signal word: warning	
Hazard-determining Fibrous Glass Acrylate Copolymer	g components of labeling:
Hazard statements H315+H320	Causes skin and eye irritation.
H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
Precautionary state P261	ements: Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
(cont'd on page 3)	

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

CAN: 1–800–299–0819 🛛 🌐 USA





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

P337+P313 IF EYE IRRITATION PERSISTS: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

3.1 % of the mixture consists of component(s) of unknown toxicity.

Classification system:

NFPA ratings (scale 0 – 4):



P501

Health = 1 Fire = 1 Reactivity = 0

HMIS-ratings (scale 0 – 4):

HEALTHIFIREIFIREIREACTIVITYIReactivity0

Hazard(s) not otherwise classified (HNOC): None known

3 COMPOSITION/INFORMATION ON INGREDIENTS

Non-hazardous components:

9003-35-4 formaldehyde, oligomeric reaction products with phenol 2–12%

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

Non-hazardous components:

	Basalt Rock	Eye Irrit. 2B, H320	90–99%
65997-17-3	Fibrous Glass	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%
129702-02-9	Acrylate Copolymer	STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(cont'd on page 4)

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

CAN: 1-800-299-0819

🜐 USA: 1-888-877-7685





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

4 FIRST-AID MEASURES

Description of First Aid Measures

After inhalation:

Seek medical treatment in case of complaints. In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

If skin irritation occurs, consult a doctor.

After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

If swallowed and symptoms occur, consult a doctor.

Information for Doctor

Most important symptoms and effects, both acute and delayed:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture:

No further relevant information available.

Advice for firefighters:

Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(cont'd on page 5)

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

CAN: 1-800-299-0819

🜐 USA: 1–888–877–7685







OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Not required.

Environmental precautions:

No special measures required.

Methods and material for containment and cleaning up:

Ensure adequate ventilation. Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.

7 HANDLING AND STORAGE

Handling

Precautions for safe handling:

Use protective equipment as described in Section 8 of this Safety Data Sheet when handling uncontained material. Keep product in its original packaging until used to minimize potential dust generation. Keep work areas as clean as possible. Avoid unnecessary handling of scrap materials by placing them in waste disposal containers and equipment kept as to close working areas as possible to prevent release of fibers and dust. Good housekeeping practices should be used to prevent generation and accumulation of dust. After handling product, wash hands and face.

Information about protection against explosions and fires:

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Material should be kept dry, and protected from the elements

Specific end use(s):

No further relevant information available.

(cont'd on page 6)



REVIEWED ON: August 28. 2023

CAN: 1-800-299-0819

() USA: 1–888–877–7685

info@idealproducts.ca





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

No further data; see section 7.

Control parameters:

Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

65997-17-3 Fibrous Glass

PEL	Short-term value: 5 mg/m ³
	Long-term value: 15 mg/m ³
ти	Short-term value: 3 mg/m ³
	Long-term value: 10 mg/m ³

Additional information: The lists that were valid during the creation of this SDS were used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Long Sleeve Clothing, Coveralls, Gloves, and Eye Protection should be worn for prevention of exposure to the skin and/or eyes that may cause irritation.

Breathing equipment: Not required.

Protection of hands:



Protective Gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

(cont'd on page 7)

REVIEWED ON: August 28. 2023

CAN: 1-800-299-0819 💮 USA: 1-888-877-7685







OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Safety Glasses

9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Solid
Color:	Various
Odor:	Nearly odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	Not determined.

(cont'd on page 8)

CAN: 1-800-299-0819

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

() USA: 1-888-877-7685





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs® 547

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density @ 20°C (68°F):	0.91 g/cm³ (7.594 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility in / Miscibility with:	
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
Water:	1.2 %
Solids content:	93.9 %
Other information:	No further relevant information available.
(aant'd an name 0)	

(cont'd on page 9)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

10 STABILITY AND REACTIVITY

Reactivity: No further relevant information available.

Chemical stability: Stable under normal conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects:

Acute toxicity:

Primary irritant effect:

On the skin: Irritant to skin and mucous membranes.

On the eye: Irritating effect.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories:

IARC (International Agency for Research on Cancer)		
65997-17-3	Fibrous Glass	65997-17-3
IARC (Interr	national Agency for Research on Cancer)	

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed. None of the ingredients are listed.

(cont'd on page 10)

CAN: 1-800-299-0819

```
ISSUE DATE:
August 28, 2023
```

REVIEWED ON: August 28. 2023





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

12 ECOLOGICAL INFORMATION

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: Generally not hazardous for water.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 DISPOSAL CONSIDERATIONS

Waste treatment methods:

Recommendation: Observe all federal, state and local environmental regulations when disposing of this material.

Uncleaned packagings Recommendation: Disposal must be made according to official regulations.

14 TRANSPORT INFORMATIONDISPOSAL CONSIDERATIONS

UN-Number:

DOT, ADR, ADN, IMDG, IATA UN proper shipping name: Non-Regulated Material

DOT, ADR, ADN, IMDG, IATA

Non-Regulated Material

(cont'd on page 11)

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

10/14

💮 USA: <u>1–888–</u>877–76<u>85</u>







OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

Transport hazard class(es): DOT, ADR, ADN, IMDG, IATA Class: Non-Regulated Material **Packing group:** DOT, ADR, IMDG, IATA Non-Regulated Material **Environmental hazards:** Not applicable. **Special precautions for user:** Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable. **UN "Model Regulation":** Non-Regulated Material

15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization):

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

65997-17-3 Fibrous Glass	
9003-35-4 formaldehyde, oligomeric reaction products with phenol	
7732-18-5 Water, distilled water, deionized water	

California Proposition 65: Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(cont'd on page 12)

11/14







OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

New Jersey Right-to-Know List: None of the ingredients are listed.

New Jersey Special Hazardous Substance List: None of the ingredients are listed.

Pennsylvania Right-to-Know List: None of the ingredients are listed.

Pennsylvania Special Hazardous Substance List: None of the ingredients are listed.

Carcinogenic categories:

EPA (Environmental Protection Agency): None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH): None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



Signal word: Warning

Hazard-determining components of labeling: Fibrous Glass Acrylate Copolymer

Hazard statements: H315+H320 H335-H336

Causes skin and eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

(cont'd on page 13)

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

CAN: 1-800-299-0819

USA: 1-888-877-7685

info@idealproducts.ca





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

Precautionary statements:

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(cont'd on page 14)

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

CAN: 1-800-299-0819

🜐 USA: 1–888–877–7685







OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Trade Name: ThermalJacs[®] 547

16 OTHER INFORMATION

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: 08/28/2023/004

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

ISSUE DATE: August 28, 2023

REVIEWED ON: August 28. 2023

